



GARRISON

RESILIENT

Vinyl and Laminate flooring designed with authentic hardwood visuals and constructed for incredible durability.



SPC

**ELEMENTS
METROPOLITAN
NATURESTEP
SUMMIT SKY**

WPC

**AQUABLU
AQUABLU II**

LAMINATE

**AZUL WATERS
ILLUMIN8**


GLUE DOWN LVT
COUNTRY CHARM




ELEMENTS SPC

Inspired by the elements of the earth, this collection pairs the strength of stone with the aesthetic of wood. Constructed with an ultra-durable, water-resistant SPC (Stone Polymer Composite) core with an attached EVA foam underlayment, precisely micro-beveled edges, and available in seven and nine inch widths, every color in this collection is a smart and stylish choice. From the warm, rich tones of Copper and Gold, to the cool, modern looks of Alloy and Steel - and everything in between - any option in the Elements collection will become the key element of your interior space.


| | | | |
|---------------------|-----------------------------------|-------------------------|--|
| WIDTH | 7 inches, 9 inches (see below) | SURFACE TEXTURE | Varies (see below) |
| THICKNESS | 6.5 mm | FINISH | UV Coating and Tempering |
| LENGTH | 5 feet | WEIGHT PER BOX | 7 inches: 50 lbs 9 inches: 48 lbs |
| WEAR LAYER | 0.5 mm (20 mil) | COVERAGE PER BOX | 7 inches: 24.14 sq ft 9 inches: 22.88 sq ft |
| CONSTRUCTION | SPC Vinyl with EVA Underlayment | EDGE DETAIL | Painted V-Groove |



INSTALLATION



EASY CLICK



FLOATING

MOULDINGS AVAILABLE



TREAD



NOSING



REDUCER



QUARTER ROUND



END CAP



T-MOULDING



RESILIENT

Versatile. Sensible. Effortless.

The Resilient line of Garrison floors represents a wide range of easy-to-install, high quality vinyl and laminate options. Get the look and feel of real hardwood flooring with the proven durability of Garrison water-resistant technology.



SCAN WITH PHONE CAMERA FOR IMAGES AND MORE INFORMATION

www.garrisoncollection.com

(800) 300-5158 | info@garrisoncollection.com

Sample Variation Disclaimer: Due to the natural variations in color, grain, and texture inherent in the hardwood products used to design this flooring, flooring will vary from plank to plank and may vary slightly from these samples. Please expect variation in all flooring. Samples that have been exposed to sunlight or naturally aged may differ slightly from the product received. Garrison accepts no liability for claims due to variations in color, grain, and/or character between these samples and your installed floor. INSTALLATION IS ACCEPTANCE.

Product Disclaimer: All measurements are nominal. Wear layer refers to top layer thickness prior to treatment. Embossing may marginally affect wear layer thickness. All boxes include starter boards.

Order Disclaimer: We recommend buying all flooring at the same time for your project. When ordering, always factor in at least one full box for any/all unforeseen damage that may occur during the life of your floor. Please consider and allow for a waste factor of 3-5% on normal layouts and 5-10% on detailed layouts such as 45-degree angles, patterns, border work, etc. Please also include end joint stagger and note that minor imperfections are to be cut off prior to installation.

Installation Disclaimer: This flooring must be installed in accordance to our installation instructions, included in all cartons of our flooring. Proper subfloor testing must be performed and Garrison Vinyl Moisture Barrier and 3M Seam Tape (or equivalent products) must be used at installation. More detailed installation instructions can be found on our website at garrisoncollection.com. Improper installation will void your warranty.

Warranty Disclaimer: This flooring comes fully finished from the factory and requires no immediate surface treatment following installation. Improper installation or the use of improper products and/or cleaning methods will void your warranty. Please refer to full Care & Maintenance Guide available for this flooring at garrisoncollection.com.



GARRISON




NOLITA


METROPOLITAN SPC

Inspired by the bustling cityscape of New York, this collection was built with high-traffic durability and stunning aesthetics in mind. Constructed with an ultra-durable water-resistant SPC (Stone Polymer Composite) core with an attached EVA foam underlayment, precisely micro-beveled edges, and available in seven and nine inch widths, every color in this collection is as iconic as the neighborhoods of NYC. From the warm tones in Gramercy Park to the contemporary clean looks of Hudson – and everything in between – any option in this collection will embody the energy of your interior space.


| | | | |
|---------------------|-----------------------------------|-------------------------|--|
| WIDTH | 7 inches, 9 inches (see below) | SURFACE TEXTURE | Varies (see below) |
| THICKNESS | 6.5 mm | FINISH | UV Coating and Tempering |
| LENGTH | 5 feet | WEIGHT PER BOX | 7 inches: 52 lbs 9 inches: 49 lbs |
| WEAR LAYER | 0.5 mm (20 mil) | COVERAGE PER BOX | 7 inches: 24.14 sq ft 9 inches: 22.88 sq ft |
| CONSTRUCTION | SPC Vinyl with EVA Underlayment | EDGE DETAIL | Painted V-Groove |



INSTALLATION



EASY CLICK



FLOATING

MOULDINGS AVAILABLE



TREAD




NOSING



REDUCER



QUARTER ROUND



END CAP



T-MOULDING



PHTHALATE FREE



WATER-RESISTANT FLOORING



CARB PHASE 2 COMPLIANT



CSA Group Global Services

RESILIENT

Versatile. Sensible. Effortless.

The Resilient line of Garrison floors represents a wide range of easy-to-install, high quality vinyl and laminate options. Get the look and feel of real hardwood flooring with the proven durability of Garrison water-resistant technology.



SCAN WITH PHONE CAMERA FOR IMAGES AND MORE INFORMATION

www.garrisoncollection.com

(800) 300-5158 | info@garrisoncollection.com

Sample Variation Disclaimer: Due to the natural variations in color, grain, and texture inherent in the hardwood products used to design this flooring, flooring will vary from plank to plank and may vary slightly from these samples. Please expect variation in all flooring. Samples that have been exposed to sunlight or naturally aged may differ slightly from the product received. Garrison accepts no liability for claims due to variations in color, grain, and/or character between these samples and your installed floor. INSTALLATION IS ACCEPTANCE.

Product Disclaimer: All measurements are nominal. Wear layer refers to top layer thickness prior to treatment. Embossing may marginally affect wear layer thickness. All boxes include starter boards.

Order Disclaimer: We recommend buying all flooring at the same time for your project. When ordering, always factor in at least one full box for any/all unforeseen damage that may occur during the life of your floor. Please consider and allow for a waste factor of 3-5% on normal layouts and 5-10% on detailed layouts such as 45-degree angles, patterns, border work, etc. Please also include end joint stagger and note that minor imperfections are to be cut off prior to installation.

Installation Disclaimer: This flooring must be installed in accordance to our installation instructions, included in all cartons of our flooring. Proper subfloor testing must be performed and Garrison Vinyl Moisture Barrier and 3M Seam Tape (or equivalent products) must be used at installation. More detailed installation instructions can be found on our website at garrisoncollection.com. Improper installation will void your warranty.


Warranty Disclaimer: This flooring comes fully finished from the factory and requires no immediate surface treatment following installation. Improper installation or the use of improper products and/or cleaning methods will void your warranty. Please refer to full Care & Maintenance Guide available for this flooring at garrisoncollection.com.




NATURESTEP SPC

NatureStep is the culmination of innovation in construction and design, an ode to the organic beauty of nature and the achievement of modern technology in resilient SPC water-resistant flooring. This collection features Embossed-in-Register (EIR) technology in a clean, natural color palette that is entirely exclusive to Garrison. As a result, the individual graining of the floor's visual is precisely matched to the surface texture, capturing the look and feel of real wood with the durability of a worry-free Garrison Resilient floor. Step into the most realistic, premium, and impressive SPC collection with NatureStep.


| | | | |
|---------------------|---|-------------------------|---|
| WIDTH | Plank: 8.66 inches Herringbone: 4.72 inches | SURFACE TEXTURE | Plank: Embossed-in-Register (EIR) HB: Indentation Registered Embossing |
| THICKNESS | 6.5 mm | FINISH | UV Coating and Tempering |
| LENGTH | Plank: 59.5 inches Herringbone: 28.34 inches | WEIGHT PER BOX | Plank: 53 lbs Herringbone: 48.19 lbs |
| WEAR LAYER | 0.5 mm (20 mil) | COVERAGE PER BOX | Plank: 21.45 sq ft Herringbone: 22.30 sq ft |
| CONSTRUCTION | SPC Vinyl with IXPE Underlayment | EDGE DETAIL | Painted V-Groove |



INSTALLATION



EASY CLICK



FLOATING

MOULDINGS AVAILABLE



TREAD



NOSING



T-MOULDING



REDUCER



QUARTER ROUND



END CAP



RESILIENT

Versatile. Sensible. Effortless.

The Resilient line of Garrison floors represents a wide range of easy-to-install, high quality vinyl and laminate options. Get the look and feel of real hardwood flooring with the proven durability of Garrison water-resistant technology.



SCAN WITH PHONE CAMERA FOR IMAGES AND MORE INFORMATION

www.garrisoncollection.com

(800) 300-5158 | info@garrisoncollection.com

Sample Variation Disclaimer: Due to the natural variations in color, grain, and texture inherent in the hardwood products used to design this flooring, flooring will vary from plank to plank and may vary slightly from these samples. Please expect variation in all flooring. Samples that have been exposed to sunlight or naturally aged may differ slightly from the product received. Garrison accepts no liability for claims due to variations in color, grain, and/or character between these samples and your installed floor. INSTALLATION IS ACCEPTANCE.

Product Disclaimer: All measurements are nominal. Wear layer refers to top layer thickness prior to treatment. Embossing may marginally affect wear layer thickness. All boxes include starter boards.

Order Disclaimer: We recommend buying all flooring at the same time for your project. When ordering, always factor in at least one full box for any/all unforeseen damage that may occur during the life of your floor. Please consider and allow for a waste factor of 3-5% on normal layouts and 5-10% on detailed layouts such as 45-degree angles, patterns, border work, etc. Please also include end joint stagger and note that minor imperfections are to be cut off prior to installation.

Installation Disclaimer: This flooring must be installed in accordance to our installation instructions, included in all cartons of our flooring. Proper subfloor testing must be performed and Garrison Vinyl Moisture Barrier and 3M Seam Tape (or equivalent products) must be used at installation. More detailed installation instructions can be found on our website at garrisoncollection.com. Improper installation will void your warranty.

Warranty Disclaimer: This flooring comes fully finished from the factory and requires no immediate surface treatment following installation. Improper installation or the use of improper products and/or cleaning methods will void your warranty. Please refer to full Care & Maintenance Guide available for this flooring at garrisoncollection.com.



GARRISON




HIGH SIERRA


SUMMIT SKY SPC

Stand above all other vinyl flooring options with Summit Sky, our cleanest and most modern European Oak looking vinyl, available in both classic plank and stylish herringbone construction. This water-resistant flooring will do wonders in any space that calls for the durability of vinyl, with the clean looks of select grade hardwood flooring. Summit Sky is constructed with an easy click installation system, making it as convenient as it is elegant. With 6.5mm thick planks, precisely micro-beveled edges, and four incredible colors, say no to repetitive and dull vinyl and reach the top with Summit Sky SPC.


| | | | |
|---------------------|--|-------------------------|--|
| WIDTH | Herringbone: 5 inches Plank: 7 inches | SURFACE TEXTURE | Deep Embossed |
| THICKNESS | 6.5 mm | FINISH | UV Coating and Tempering |
| LENGTH | Herringbone: 24 inches Plank: 60 inches | WEIGHT PER BOX | Herringbone: 41.89 lbs Plank: 43.21 lbs |
| WEAR LAYER | 0.5 mm (20 mil) | COVERAGE PER BOX | Herringbone: 20.34 sq ft Plank: 20.67 sq ft |
| CONSTRUCTION | SPC Vinyl with EVA Underlayment | EDGE DETAIL | Micro-Bevel |



INSTALLATION



EASY CLICK



FLOATING

MOULDINGS AVAILABLE



TREAD




NOSING



REDUCER



QUARTER ROUND



END CAP



T-MOULDING



RESILIENT

Versatile. Sensible. Effortless.

The Resilient line of Garrison floors represents a wide range of easy-to-install, high quality vinyl and laminate options. Get the look and feel of real hardwood flooring with the proven durability of Garrison water-resistant technology.



SCAN WITH PHONE CAMERA FOR IMAGES AND MORE INFORMATION

www.garrisoncollection.com

(800) 300-5158 | info@garrisoncollection.com

Sample Variation Disclaimer: Due to the natural variations in color, grain, and texture inherent in the hardwood products used to design this flooring, flooring will vary from plank to plank and may vary slightly from these samples. Please expect variation in all flooring. Samples that have been exposed to sunlight or naturally aged may differ slightly from the product received. Garrison accepts no liability for claims due to variations in color, grain, and/or character between these samples and your installed floor. INSTALLATION IS ACCEPTANCE.

Product Disclaimer: All measurements are nominal. Wear layer refers to top layer thickness prior to treatment. Embossing may marginally affect wear layer thickness. All boxes include starter boards.

Order Disclaimer: We recommend buying all flooring at the same time for your project. When ordering, always factor in at least one full box for any/all unforeseen damage that may occur during the life of your floor. Please consider and allow for a waste factor of 3-5% on normal layouts and 5-10% on detailed layouts such as 45-degree angles, patterns, border work, etc. Please also include end joint stagger and note that minor imperfections are to be cut off prior to installation.

Installation Disclaimer: This flooring must be installed in accordance to our installation instructions, included in all cartons of our flooring. Proper subfloor testing must be performed and Garrison Vinyl Moisture Barrier and 3M Seam Tape (or equivalent products) must be used at installation. More detailed installation instructions can be found on our website at garrisoncollection.com. Improper installation will void your warranty.

Warranty Disclaimer: This flooring comes fully finished from the factory and requires no immediate surface treatment following installation. Improper installation or the use of improper products and/or cleaning methods will void your warranty. Please refer to full Care & Maintenance Guide available for this flooring at garrisoncollection.com.




GARRISON

SAN MARINO OAK


AQUA BLUE WPC

Finally, a flooring solution that is easy to install, simple to maintain, extremely durable, and looks incredible. This WPC collection features stunning colors and grain patterns that will appeal to the most discerning of critics. All Garrison WPC flooring is constructed with a uniquely composed rigid-core material that makes for a resilient, comfortable, and incredibly durable flooring option. With a thick 8mm construction, EVA foam underlayment, six foot lengths, precisely micro-beveled edges, and an embossed surface texture, all flooring in our Aquablue collection looks and feels amazing.


| | | | |
|---------------------|---------------------------------|-------------------------|--------------------------|
| WIDTH | 7 inches | SURFACE TEXTURE | Deep Embossed |
| THICKNESS | 8 mm | FINISH | UV Coating and Tempering |
| LENGTH | 6 feet | WEIGHT PER BOX | 46 lbs |
| WEAR LAYER | 0.5 mm (20 mil) | COVERAGE PER BOX | 28.05 sqft |
| CONSTRUCTION | WPC Vinyl with EVA Underlayment | EDGE DETAIL | Painted V-Groove |



INSTALLATION



EASY CLICK



FLOATING

MOULDINGS AVAILABLE



TREAD



NOSING



T-MOULDING



REDUCER



QUARTER ROUND



END CAP



PHTHALATE FREE



WATER-RESISTANT FLOORING



CARB PHASE 2 COMPLIANT



floor score

RESILIENT

Versatile. Sensible. Effortless.

The Resilient line of Garrison floors represents a wide range of easy-to-install, high quality vinyl and laminate options. Get the look and feel of real hardwood flooring with the proven durability of Garrison water-resistant technology.



SCAN WITH PHONE CAMERA FOR IMAGES AND MORE INFORMATION

www.garrisoncollection.com

(800) 300-5158 | info@garrisoncollection.com

Sample Variation Disclaimer: Due to the natural variations in color, grain, and texture inherent in the hardwood products used to design this flooring, flooring will vary from plank to plank and may vary slightly from these samples. Please expect variation in all flooring. Samples that have been exposed to sunlight or naturally aged may differ slightly from the product received. Garrison accepts no liability for claims due to variations in color, grain, and/or character between these samples and your installed floor. INSTALLATION IS ACCEPTANCE.

Product Disclaimer: All measurements are nominal. Wear layer refers to top layer thickness prior to treatment. Embossing may marginally affect wear layer thickness. All boxes include starter boards.

Order Disclaimer: We recommend buying all flooring at the same time for your project. When ordering, always factor in at least one full box for any/all unforeseen damage that may occur during the life of your floor. Please consider and allow for a waste factor of 3-5% on normal layouts and 5-10% on detailed layouts such as 45-degree angles, patterns, border work, etc. Please also include end joint stagger and note that minor imperfections are to be cut off prior to installation.

Installation Disclaimer: This flooring must be installed in accordance to our installation instructions, included in all cartons of our flooring. Proper subfloor testing must be performed and Garrison Vinyl Moisture Barrier and 3M Seam Tape (or equivalent products) must be used at installation. More detailed installation instructions can be found on our website at garrisoncollection.com. Improper installation will void your warranty.

Warranty Disclaimer: This flooring comes fully finished from the factory and requires no immediate surface treatment following installation. Improper installation or the use of improper products and/or cleaning methods will void your warranty. Please refer to full Care & Maintenance Guide available for this flooring at garrisoncollection.com.



HAVASU OAK


AQUA BLUE II WPC

This incredible collection takes the success of our Aquablue flooring to another level, with a thicker construction and wider planks. All Garrison WPC flooring is constructed with a uniquely composed rigid-core material that makes for a resilient, comfortable, and incredibly durable flooring option. Featuring a 12mm construction, EVA foam underlayment, six foot lengths, precisely micro-beveled edges, and an embossed surface texture, this collection is the perfect choice for high-use locations requiring flooring that looks amazing and performs well doing so.


| | | | |
|---------------------|---------------------------------|-------------------------|--------------------------|
| WIDTH | 9 inches | SURFACE TEXTURE | Varies (see below) |
| THICKNESS | 12 mm | FINISH | UV Coating and Tempering |
| LENGTH | 6 feet | WEIGHT PER BOX | 64 lbs |
| WEAR LAYER | 0.5 mm (20 mil) | COVERAGE PER BOX | 26.95 sq ft |
| CONSTRUCTION | WPC Vinyl with EVA Underlayment | EDGE DETAIL | Painted V-Groove |



INSTALLATION



EASY CLICK



FLOATING

MOULDINGS AVAILABLE



TREAD



NOSING



T-MOULDING



REDUCER



QUARTER ROUND



END CAP



RESILIENT

Versatile. Sensible. Effortless.

The Resilient line of Garrison floors represents a wide range of easy-to-install, high quality vinyl and laminate options. Get the look and feel of real hardwood flooring with the proven durability of Garrison water-resistant technology.



SCAN WITH PHONE CAMERA FOR IMAGES AND MORE INFORMATION

www.garrisoncollection.com

(800) 300-5158 | info@garrisoncollection.com

Sample Variation Disclaimer: Due to the natural variations in color, grain, and texture inherent in the hardwood products used to design this flooring, flooring will vary from plank to plank and may vary slightly from these samples. Please expect variation in all flooring. Samples that have been exposed to sunlight or naturally aged may differ slightly from the product received. Garrison accepts no liability for claims due to variations in color, grain, and/or character between these samples and your installed floor. INSTALLATION IS ACCEPTANCE.

Product Disclaimer: All measurements are nominal. Wear layer refers to top layer thickness prior to treatment. Embossing may marginally affect wear layer thickness. All boxes include starter boards.

Order Disclaimer: We recommend buying all flooring at the same time for your project. When ordering, always factor in at least one full box for any/all unforeseen damage that may occur during the life of your floor. Please consider and allow for a waste factor of 3-5% on normal layouts and 5-10% on detailed layouts such as 45-degree angles, patterns, border work, etc. Please also include end joint stagger and note that minor imperfections are to be cut off prior to installation.

Installation Disclaimer: This flooring must be installed in accordance to our installation instructions, included in all cartons of our flooring. Proper subfloor testing must be performed and Garrison Vinyl Moisture Barrier and 3M Seam Tape (or equivalent products) must be used at installation. More detailed installation instructions can be found on our website at garrisoncollection.com. Improper installation will void your warranty.

Warranty Disclaimer: This flooring comes fully finished from the factory and requires no immediate surface treatment following installation. Improper installation or the use of improper products and/or cleaning methods will void your warranty. Please refer to full Care & Maintenance Guide available for this flooring at garrisoncollection.com.



GARRISON




BOARDWALK

AZUL WATERS

This collection combines the durability of laminate flooring construction with the beauty of realistic hardwood colors and patterns. With our water-resistant technology, matte aluminum oxide finish, and variety of textures, get the aesthetic and feel of wood at a cost-effective price point. Backed by our industry leading warranty and ease of maintenance, all flooring in our Azul Waters collection is as breathtaking and memorable as a pristine ocean view.

| | | | |
|---------------------|----------------|-------------------------|--------------------|
| WIDTH | 6-1/2 inches | SURFACE TEXTURE | Varies (see below) |
| THICKNESS | 12 mm | WEIGHT PER BOX | 50 lbs |
| LENGTH | 4 feet | COVERAGE PER BOX | 21.58 sqft |
| FINISH | Aluminum Oxide | EDGE DETAIL | V-Groove Edge |
| CONSTRUCTION | Laminate | | |



INSTALLATION



MOULDINGS AVAILABLE



RESILIENT

Versatile. Sensible. Effortless.

The Resilient line of Garrison floors represents a wide range of easy-to-install, high quality vinyl and laminate options. Get the look and feel of real hardwood flooring with the proven durability of Garrison water-resistant technology.



SCAN WITH PHONE CAMERA FOR IMAGES AND MORE INFORMATION

www.garrisoncollection.com
(800) 300-5158 | info@garrisoncollection.com

Sample Variation Disclaimer: Our RESILIENT floors are made using high-resolution photos and laser-scans of real hardwood floors. As such, the beauty of hardwood flooring and RESILIENT products lie in variations in color, grain, and texture. In addition, although we color calibrate all of our photos, colors may appear differently on different monitors and devices and flooring will vary in hue and saturation based on differing lighting conditions. Please expect variations in all flooring. We highly recommend seeing a sample board of flooring in person before making your decision, and understanding that flooring may vary slightly from these boards. Please contact us for more information and to be connected to a sales representative who will point you in the right direction.

Product Disclaimer: All measurements are nominal. Wear layer refers to top layer thickness prior to treatment. Embossing may marginally affect wear layer thickness. All boxes include starter boards. **Order Disclaimer:** We recommend buying all flooring at the same time for your project. When ordering, always factor in at least one full box for any/all unforeseen damage that may occur during the life of your floor. Please consider and allow for a waste factor of 3-5% on normal layouts and 5-10% on detailed layouts such as 45-degree angles, patterns, border work, etc. Please also include end joint stagger and note that minor imperfections are to be cut off prior to installation.

Installation Disclaimer: This flooring must be installed in accordance to our installation instructions, included in all cartons of our flooring. Proper subfloor testing must be performed and Garrison Vinyl Moisture Barrier and 3M Seam Tape (or equivalent products) must be used at installation. More detailed installation instructions can be found on our website at garrisoncollection.com. Improper installation will void your warranty.

Warranty Disclaimer: This flooring comes fully finished from the factory and requires no immediate surface treatment following installation. Improper installation or the use of improper products and/or cleaning methods will void your warranty. Please refer to full Care & Maintenance Guide available for this flooring at garrisoncollection.com.



GARRISON



VISUALIZE IT!


Scan this QR code to reach the visualizer tool on our website. Upload a photo of your room to visualize this amazing floor in your space.

SPARK


ILLUMIN8™

Inspired by the interplay between light and design, ILLUMIN8 is a modern interpretation of an old classic – waterproof laminate flooring built to perform and designed to impress. Created from the highest quality materials and the most modern imaging, every color in this collection is as stunning as it is economical. From the ultra-realistic grain patterns and depth of Aurora, to the clean, natural tones of Luster, light up your space with ILLUMIN8 by Garrison.


| | | | |
|---------------------|----------------------|-------------------------|---------------------|
| WIDTH | 8 inches | SURFACE TEXTURE | Varies (see below) |
| THICKNESS | 12 mm | WEIGHT PER BOX | 45 lbs |
| LENGTH | 4 feet | COVERAGE PER BOX | 20.51 sqft |
| FINISH | Aluminum Oxide | EDGE DETAIL | Painted Micro-Bevel |
| CONSTRUCTION | Waterproof Laminate* | | |




AURORA
LIGHT EMBOSSED




FLASH
LIGHT EMBOSSED




GLIMMER
LIGHT EMBOSSED




GLAZE
LIGHT EMBOSSED




LUSTER
LIGHT EMBOSSED



SPARK
LIGHT EMBOSSED



BEAM
LIGHT EMBOSSED




DUSK
EMBOSSED-IN-REGISTER

INSTALLATION



EASY CLICK



FLOATING

MOULDINGS AVAILABLE



NOSING



REDUCER



T-MOULDING

OTHER PROFILES AVAILABLE UPON REQUEST.



WATERPROOF*



CARB
PHASE 2
COMPLIANT

INSTALLATION INSTRUCTIONS



WARRANTY



CARE & MAINTENANCE



SCAN WITH PHONE FOR IMAGES & TO VISUALIZE IN YOUR SPACE

www.garrisoncollection.com

(800) 300-5158 | info@garrisoncollection.com

Waterproof Disclaimer: Warranty valid only under proper acclimatization and installation. Waterproof rating covers typical use and spills and does not cover standing water or extreme conditions. See full warranty documentation for more information.

Sample Variation Disclaimer: Due to the natural variations in color, grain, and texture inherent in the hardwood products used to design this flooring, flooring will vary from plank to plank and may vary slightly from these samples. Please expect variation in all flooring. Samples that have been exposed to sunlight or naturally aged may differ slightly from the product received. Garrison accepts no liability for claims due to variations in color, grain, and/or character between these samples and your installed floor. INSTALLATION IS ACCEPTANCE.

Product Disclaimer: All measurements are nominal. Wear layer refers to top layer thickness prior to treatment. Embossing may marginally affect wear layer thickness. All boxes include starter boards.

Order Disclaimer: We recommend buying all flooring at the same time for your project. When ordering, always factor in at least one full box for any/all unforeseen damage that may occur during the life of your floor. Please consider and allow for a waste factor of 3-5% on normal layouts and 5-10% on detailed layouts such as 45-degree angles, patterns, border work, etc. Please also include end joint stagger and note that minor imperfections are to be cut off prior to installation.

Installation Disclaimer: This flooring must be installed in accordance to our installation instructions, included in all cartons of our flooring. Proper subfloor testing must be performed and Garrison Vinyl Moisture Barrier and 3M Seam Tape (or equivalent products) must be used at installation. More detailed installation instructions can be found on our website at garrisoncollection.com. Improper installation will void your warranty.

Warranty Disclaimer: This flooring comes fully finished from the factory and requires no immediate surface treatment following installation. Improper installation or the use of improper products and/or cleaning methods will void your warranty. Please refer to full Care & Maintenance Guide available for this flooring at garrisoncollection.com.




GARRISON

MOLASSES


COUNTRY CHARM LVT

Achieve a warm, inviting look with these stunning colors available in a glue-down LVT construction. Inspired by the charm of hardwood flooring traditionally created in the South, this collection combines natural tones and textures with the durability and ease of LVT flooring. Hard-wearing, water-resistant, and providing an excellent grip, LVT flooring has never been easier or more beautiful than Country Charm.

| | | | |
|---------------------|-----------------|-------------------------|------------------|
| WIDTH | 7 inches | FINISH | Matte UV Coating |
| THICKNESS | 3 mm | WEIGHT PER BOX | 40 lbs |
| LENGTH | 4 feet | COVERAGE PER BOX | 35 sq ft |
| WEAR LAYER | 0.5 mm (20 mil) | EDGE DETAIL | Bevel Edge |
| CONSTRUCTION | Glue Down LVT | | |



INSTALLATION



GLUE-DOWN



RESILIENT

Versatile. Sensible. Effortless.

The Resilient line of Garrison floors represents a wide range of easy-to-install, high quality vinyl and laminate options. Get the look and feel of real hardwood flooring with the proven durability of Garrison water-resistant technology.



SCAN WITH PHONE CAMERA FOR IMAGES AND MORE INFORMATION

www.garrisoncollection.com

(800) 300-5158 | info@garrisoncollection.com

Sample Variation Disclaimer: Due to the natural variations in color, grain, and texture inherent in the hardwood products used to design this flooring, flooring will vary from plank to plank and may vary slightly from these samples. Please expect variation in all flooring. Samples that have been exposed to sunlight or naturally aged may differ slightly from the product received. Garrison accepts no liability for claims due to variations in color, grain, and/or character between these samples and your installed floor. INSTALLATION IS ACCEPTANCE.

Product Disclaimer: All measurements are nominal. Wear layer refers to top layer thickness prior to treatment. Embossing may marginally affect wear layer thickness. All boxes include starter boards.

Order Disclaimer: We recommend buying all flooring at the same time for your project. When ordering, always factor in at least one full box for any/all unforeseen damage that may occur during the life of your floor. Please consider and allow for a waste factor of 3-5% on normal layouts and 5-10% on detailed layouts such as 45-degree angles, patterns, border work, etc. Please also include end joint stagger and note that minor imperfections are to be cut off prior to installation.

Installation Disclaimer: This flooring must be installed in accordance to our installation instructions, included in all cartons of our flooring. Proper subfloor testing must be performed and Garrison Vinyl Moisture Barrier and 3M Seam Tape (or equivalent products) must be used at installation. More detailed installation instructions can be found on our website at garrisoncollection.com. Improper installation will void your warranty.

Warranty Disclaimer: This flooring comes fully finished from the factory and requires no immediate surface treatment following installation. Improper installation or the use of improper products and/or cleaning methods will void your warranty. Please refer to full Care & Maintenance Guide available for this flooring at garrisoncollection.com.